


### Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application.

### Listing of Claims

1-5. (Canceled)

6. (Previously presented) A compound having the structure:



or a pharmaceutically acceptable salt thereof, wherein:

A is  $-(CH_2)_bC\equiv C(CH_2)_c-$ ;

R<sub>1</sub> is aryl, heteroaryl or heterocycle fused to phenyl, each being optionally substituted with one to four substituents independently selected from R<sub>3</sub>;

R<sub>2</sub> is -R<sub>3</sub>, -R<sub>4</sub>,  $-(CH_2)_bC(=O)R_5$ ,  $-(CH_2)_bC(=O)OR_5$ ,  $-(CH_2)_bC(=O)NR_5R_6$ ,  $-(CH_2)_bC(=O)NR_5(CH_2)_cC(=O)R_6$ ,  $-(CH_2)_bNR_5C(=O)R_6$ ,  $-(CH_2)_bNR_5C(=O)NR_6R_7$ ,  $-(CH_2)_bNR_5R_6$ ,  $-(CH_2)_bOR_5$ ,  $-(CH_2)_bSO_dR_5$  or  $-(CH_2)_bSO_2NR_5R_6$ ;

*b* and *c* are the same or different and at each occurrence independently selected from 0, 1, 2, 3 or 4;

*d* is at each occurrence 0, 1 or 2;

R<sub>3</sub> is at each occurrence independently halogen, hydroxy, carboxy, alkyl, alkoxy, haloalkyl, acyloxy, thioalkyl, sulfinylalkyl, sulfonylalkyl, hydroxyalkyl, aryl, substituted aryl, arylalkyl, substituted arylalkyl, heterocycle, substituted heterocycle, heterocyclealkyl, substituted heterocyclealkyl,  $-C(=O)OR_8$ ,  $-C(=O)R_8$ ,  $-C(O)NR_8R_9$ ,  $-C(=O)NR_8OR_9$ ,  $-SO_2NR_8R_9$ ,  $-NR_8SO_2R_9$ ,  $-CN$ ,  $-NO_2$ ,  $-NR_8R_9$ ,  $-NR_8C(=O)R_9$ ,  $-NR_8C(=O)(CH_2)_bOR_9$ ,  $-NR_8C(=O)(CH_2)_bR_9$ ,  $-O(CH_2)_bNR_8R_9$ , or heterocycle fused to phenyl;


R<sub>4</sub> is alkyl, aryl, arylalkyl, heterocycle or heterocyclealkyl, each being optionally substituted with one to four substituents independently selected from R<sub>3</sub>, or R<sub>4</sub> is halogen or hydroxy;

R<sub>5</sub>, R<sub>6</sub> and R<sub>7</sub> are the same or different and at each occurrence independently hydrogen, alkyl, aryl, arylalkyl, heterocycle or heterocyclealkyl, wherein each of R<sub>5</sub>, R<sub>6</sub> and R<sub>7</sub> are optionally substituted with one to four substituents independently selected from R<sub>3</sub>; and

R<sub>8</sub> and R<sub>9</sub> are the same or different and at each occurrence independently hydrogen, alkyl, aryl, arylalkyl, heterocycle, or heterocyclealkyl, or R<sub>8</sub> and R<sub>9</sub> taken together with the atom or atoms to which they are bonded form a heterocycle, wherein each of R<sub>8</sub>, R<sub>9</sub>, and R<sub>8</sub> and R<sub>9</sub> taken together to form a heterocycle are optionally substituted with one to four substituents independently selected from R<sub>3</sub>.

7-9. (Canceled)

10. (Previously presented) A compound having the structure:



or a pharmaceutically acceptable salt thereof, wherein:

A is a direct bond,  $-(CH_2)_a-$ ,  $-(CH_2)_bCH=CH(CH_2)_c-$ , or  $-(CH_2)_bC\equiv C(CH_2)_c-$ ;

R<sub>1</sub> is aryl, heteroaryl or heterocycle fused to phenyl, each being optionally substituted with one to four substituents independently selected from R<sub>3</sub>;

R<sub>2</sub> is  $-(CH_2)_bC(=O)R_5$ ;

a is 1, 2, 3, 4, 5 or 6;

b and c are the same or different and at each occurrence independently selected from 0, 1, 2, 3 or 4;


R<sub>3</sub> is at each occurrence independently halogen, hydroxy, carboxy, alkyl, alkoxy, haloalkyl, acyloxy, thioalkyl, sulfinylalkyl, sulfonylalkyl, hydroxyalkyl, aryl, substituted aryl, arylalkyl, substituted arylalkyl,

heterocycle, substituted heterocycle, heterocyclealkyl, substituted heterocyclealkyl, -C(=O)OR<sub>8</sub>, -C(=O)R<sub>8</sub>, -C(O)NR<sub>8</sub>R<sub>9</sub>, -C(=O)NR<sub>8</sub>OR<sub>9</sub>, -SO<sub>2</sub>NR<sub>8</sub>R<sub>9</sub>, -NR<sub>8</sub>SO<sub>2</sub>R<sub>9</sub>, -CN, -NO<sub>2</sub>, -NR<sub>8</sub>R<sub>9</sub>, -NR<sub>8</sub>C(=O)R<sub>9</sub>, -NR<sub>8</sub>C(=O)(CH<sub>2</sub>)<sub>b</sub>OR<sub>9</sub>, -NR<sub>8</sub>C(=O)(CH<sub>2</sub>)<sub>b</sub>R<sub>9</sub>, -O(CH<sub>2</sub>)<sub>b</sub>NR<sub>8</sub>R<sub>9</sub>, or heterocycle fused to phenyl;

R<sub>5</sub>, R<sub>6</sub> and R<sub>7</sub> are the same or different and at each occurrence independently alkyl, aryl, arylalkyl, heterocycle or heterocyclealkyl, wherein each of R<sub>5</sub>, R<sub>6</sub> and R<sub>7</sub> are optionally substituted with one to four substituents independently selected from R<sub>3</sub>; and

R<sub>8</sub> and R<sub>9</sub> are the same or different and at each occurrence independently hydrogen, alkyl, aryl, arylalkyl, heterocycle, or heterocyclealkyl, or R<sub>8</sub> and R<sub>9</sub> taken together with the atom or atoms to which they are bonded form a heterocycle, wherein each of R<sub>8</sub>, R<sub>9</sub>, and R<sub>8</sub> and R<sub>9</sub> taken together to form a heterocycle are optionally substituted with one to four substituents independently selected from R<sub>3</sub>.

11. (Previously presented) A compound having the structure:



or a pharmaceutically acceptable salt thereof, wherein:

A is a direct bond, -(CH<sub>2</sub>)<sub>a</sub>-, -(CH<sub>2</sub>)<sub>b</sub>CH=CH(CH<sub>2</sub>)<sub>c</sub>-, or -(CH<sub>2</sub>)<sub>b</sub>C≡C(CH<sub>2</sub>)<sub>c</sub>-;

R<sub>1</sub> is aryl, heteroaryl or heterocycle fused to phenyl, each being optionally substituted with one to four substituents independently selected from R<sub>3</sub>;

R<sub>2</sub> is -(CH<sub>2</sub>)<sub>b</sub>C(=O)NR<sub>5</sub>R<sub>6</sub>;

a is 1, 2, 3, 4, 5 or 6;

b and c are the same or different and at each occurrence independently selected from 0, 1, 2, 3 or 4;


R<sub>3</sub> is at each occurrence independently halogen, hydroxy, carboxy, alkyl, alkoxy, haloalkyl, acyloxy, thioalkyl, sulfinylalkyl, sulfonylalkyl, hydroxyalkyl, aryl, substituted aryl, arylalkyl, substituted arylalkyl,

heterocycle, substituted heterocycle, heterocyclealkyl, substituted heterocyclealkyl,  $-C(=O)OR_8$ ,  $-C(=O)R_8$ ,  $-C(O)NR_8R_9$ ,  $-C(=O)NR_8OR_9$ ,  $-SO_2NR_8R_9$ ,  $-NR_8SO_2R_9$ ,  $-CN$ ,  $-NO_2$ ,  $-NR_8R_9$ ,  $-NR_8C(=O)R_9$ ,  $-NR_8C(=O)(CH_2)_bOR_9$ ,  $-NR_8C(=O)(CH_2)_bR_9$ ,  $-O(CH_2)_bNR_8R_9$ , or heterocycle fused to phenyl;

$R_5$ ,  $R_6$  and  $R_7$  are the same or different and at each occurrence independently hydrogen, alkyl, aryl, arylalkyl, heterocycle or heterocyclealkyl, wherein each of  $R_5$ ,  $R_6$  and  $R_7$  are optionally substituted with one to four substituents independently selected from  $R_3$ ; and

$R_8$  and  $R_9$  are the same or different and at each occurrence independently hydrogen, alkyl, aryl, arylalkyl, heterocycle, or heterocyclealkyl, or  $R_8$  and  $R_9$  taken together with the atom or atoms to which they are bonded form a heterocycle, wherein each of  $R_8$ ,  $R_9$ , and  $R_8$  and  $R_9$  taken together to form a heterocycle are optionally substituted with one to four substituents independently selected from  $R_3$ .

12. (Previously presented) A compound having the structure:



or a pharmaceutically acceptable salt thereof, wherein:

A is a direct bond,  $-(CH_2)_a-$ ,  $-(CH_2)_bCH=CH(CH_2)_c-$ , or  $-(CH_2)_bC\equiv C(CH_2)_c-$ ;

$R_1$  is aryl, heteroaryl or heterocycle fused to phenyl, each being optionally substituted with one to four substituents independently selected from  $R_3$ ;

$R_2$  is  $-(CH_2)_bNR_5C(=O)R_6$ ;

$a$  is 1, 2, 3, 4, 5 or 6;

$b$  and  $c$  are the same or different and at each occurrence independently selected from 0, 1, 2, 3 or 4;

$R_3$  is at each occurrence independently halogen, hydroxy, carboxy, alkyl, alkoxy, haloalkyl, acyloxy, thioalkyl, sulfinylalkyl, sulfonylalkyl, hydroxyalkyl, aryl, substituted aryl, arylalkyl, substituted arylalkyl,


heterocycle, substituted heterocycle, heterocyclealkyl, substituted heterocyclealkyl, -C(=O)OR<sub>8</sub>, -C(=O)R<sub>8</sub>, -C(O)NR<sub>8</sub>R<sub>9</sub>, -C(=O)NR<sub>8</sub>OR<sub>9</sub>, -SO<sub>2</sub>NR<sub>8</sub>R<sub>9</sub>, -NR<sub>8</sub>SO<sub>2</sub>R<sub>9</sub>, -CN, -NO<sub>2</sub>, -NR<sub>8</sub>R<sub>9</sub>, -NR<sub>8</sub>C(=O)R<sub>9</sub>, -NR<sub>8</sub>C(=O)(CH<sub>2</sub>)<sub>b</sub>OR<sub>9</sub>, -NR<sub>8</sub>C(=O)(CH<sub>2</sub>)<sub>b</sub>R<sub>9</sub>, -O(CH<sub>2</sub>)<sub>b</sub>NR<sub>8</sub>R<sub>9</sub>, or heterocycle fused to phenyl;

R<sub>5</sub>, R<sub>6</sub> and R<sub>7</sub> are the same or different and at each occurrence independently hydrogen, alkyl, aryl, arylalkyl, heterocycle or heterocyclealkyl, wherein each of R<sub>5</sub>, R<sub>6</sub> and R<sub>7</sub> are optionally substituted with one to four substituents independently selected from R<sub>3</sub>; and

R<sub>8</sub> and R<sub>9</sub> are the same or different and at each occurrence independently hydrogen, alkyl, aryl, arylalkyl, heterocycle, or heterocyclealkyl, or R<sub>8</sub> and R<sub>9</sub> taken together with the atom or atoms to which they are bonded form a heterocycle, wherein each of R<sub>8</sub>, R<sub>9</sub>, and R<sub>8</sub> and R<sub>9</sub> taken together to form a heterocycle are optionally substituted with one to four substituents independently selected from R<sub>3</sub>.

13-17. (Canceled)

18. (Previously presented) A compound having the structure:



or a pharmaceutically acceptable salt thereof, wherein:

A is a direct bond, -(CH<sub>2</sub>)<sub>a</sub>-, -(CH<sub>2</sub>)<sub>b</sub>CH=CH(CH<sub>2</sub>)<sub>c</sub>-, or -(CH<sub>2</sub>)<sub>b</sub>C≡C(CH<sub>2</sub>)<sub>c</sub>-;

R<sub>1</sub> is aryl, heteroaryl or heterocycle fused to phenyl, each being optionally substituted with one to four substituents independently selected from R<sub>3</sub>;

R<sub>2</sub> is R<sub>4</sub>;

a is 1, 2, 3, 4, 5 or 6;

b and c are the same or different and at each occurrence independently selected from 0, 1, 2, 3 or 4;

R<sub>3</sub> is at each occurrence independently halogen, hydroxy, carboxy, alkyl, alkoxy, haloalkyl, acyloxy, thioalkyl, sulfinylalkyl, sulfonylalkyl, hydroxyalkyl, aryl, substituted aryl, arylalkyl, substituted arylalkyl, heterocycle, substituted heterocycle, heterocyclealkyl, substituted heterocyclealkyl, -C(=O)OR<sub>8</sub>, -C(=O)R<sub>8</sub>, -C(O)NR<sub>8</sub>R<sub>9</sub>, -C(=O)NR<sub>8</sub>OR<sub>9</sub>, -SO<sub>2</sub>NR<sub>8</sub>R<sub>9</sub>, -NR<sub>8</sub>SO<sub>2</sub>R<sub>9</sub>, -CN, -NO<sub>2</sub>, -NR<sub>8</sub>R<sub>9</sub>, -NR<sub>8</sub>C(=O)R<sub>9</sub>, -NR<sub>8</sub>C(=O)(CH<sub>2</sub>)<sub>b</sub>OR<sub>9</sub>, -NR<sub>8</sub>C(=O)(CH<sub>2</sub>)<sub>b</sub>R<sub>9</sub>, -O(CH<sub>2</sub>)<sub>b</sub>NR<sub>8</sub>R<sub>9</sub>, or heterocycle fused to phenyl;


R<sub>4</sub> is 3-triazolyl, optionally substituted at its 5-position with:

- (a) a C<sub>1</sub>-C<sub>4</sub> straight or branched chain alkyl group optionally substituted with a hydroxyl, methylamino, dimethylamino or 1-pyrrolidinyl group; or
- (b) a 2-pyrrolidinyl group;

R<sub>5</sub>, R<sub>6</sub> and R<sub>7</sub> are the same or different and at each occurrence independently hydrogen, alkyl, aryl, arylalkyl, heterocycle or heterocyclealkyl, wherein each of R<sub>5</sub>, R<sub>6</sub> and R<sub>7</sub> are optionally substituted with one to four substituents independently selected from R<sub>3</sub>; and

R<sub>8</sub> and R<sub>9</sub> are the same or different and at each occurrence independently hydrogen, alkyl, aryl, arylalkyl, heterocycle, or heterocyclealkyl, or R<sub>8</sub> and R<sub>9</sub> taken together with the atom or atoms to which they are bonded form a heterocycle, wherein each of R<sub>8</sub>, R<sub>9</sub>, and R<sub>8</sub> and R<sub>9</sub> taken together to form a heterocycle are optionally substituted with one to four substituents independently selected from R<sub>3</sub>.

19. (Previously presented) A compound having the structure:



or a pharmaceutically acceptable salt thereof, wherein:

A is a direct bond, -(CH<sub>2</sub>)<sub>a</sub>-, -(CH<sub>2</sub>)<sub>b</sub>CH=CH(CH<sub>2</sub>)<sub>c</sub>-, or -(CH<sub>2</sub>)<sub>b</sub>C≡C(CH<sub>2</sub>)<sub>c</sub>-;

$R_1$  is aryl, heteroaryl or heterocycle fused to phenyl, each being optionally substituted with one to four substituents independently selected from  $R_3$ ;

$R_2$  is  $R_4$ ;

$a$  is 1, 2, 3, 4, 5 or 6;

$b$  and  $c$  are the same or different and at each occurrence independently selected from 0, 1, 2, 3 or 4;


$R_3$  is at each occurrence independently halogen, hydroxy, carboxy, alkyl, alkoxy, haloalkyl, acyloxy, thioalkyl, sulfinylalkyl, sulfonylalkyl, hydroxyalkyl, aryl, substituted aryl, arylalkyl, substituted arylalkyl, heterocycle, substituted heterocycle, heterocyclealkyl, substituted heterocyclealkyl,  $-C(=O)OR_8$ ,  $-C(=O)R_8$ ,  $-C(O)NR_8R_9$ ,  $-C(=O)NR_8OR_9$ ,  $-SO_2NR_8R_9$ ,  $-NR_8SO_2R_9$ ,  $-CN$ ,  $-NO_2$ ,  $-NR_8R_9$ ,  $-NR_8C(=O)R_9$ ,  $-NR_8C(=O)(CH_2)_bOR_9$ ,  $-NR_8C(=O)(CH_2)_bR_9$ ,  $-O(CH_2)_bNR_8R_9$ , or heterocycle fused to phenyl;

$R_4$  is tetrazole;

$R_5$ ,  $R_6$  and  $R_7$  are the same or different and at each occurrence independently hydrogen, alkyl, aryl, arylalkyl, heterocycle or heterocyclealkyl, wherein each of  $R_5$ ,  $R_6$  and  $R_7$  are optionally substituted with one to four substituents independently selected from  $R_3$ ; and

$R_8$  and  $R_9$  are the same or different and at each occurrence independently hydrogen, alkyl, aryl, arylalkyl, heterocycle, or heterocyclealkyl, or  $R_8$  and  $R_9$  taken together with the atom or atoms to which they are bonded form a heterocycle, wherein each of  $R_8$ ,  $R_9$ , and  $R_8$  and  $R_9$  taken together to form a heterocycle are optionally substituted with one to four substituents independently selected from  $R_3$ .

20. (Previously presented) A compound having the structure:



or a pharmaceutically acceptable salt thereof, wherein:

A is a direct bond,  $-(CH_2)_a-$ ,  $-(CH_2)_bCH=CH(CH_2)_c-$ , or  $-(CH_2)_bC\equiv C(CH_2)_c-$ ;

$R_1$  is aryl, heteroaryl or heterocycle fused to phenyl, each being optionally substituted with one to four substituents independently selected from  $R_3$ ;

$R_2$  is  $R_4$ ;

$a$  is 1, 2, 3, 4, 5 or 6;

$b$  and  $c$  are the same or different and at each occurrence independently selected from 0, 1, 2, 3 or 4;

$R_3$  is at each occurrence independently halogen, hydroxy, carboxy, alkyl, alkoxy, haloalkyl, acyloxy, thioalkyl, sulfinylalkyl, sulfonylalkyl, hydroxyalkyl, aryl, substituted aryl, arylalkyl, substituted arylalkyl, heterocycle, substituted heterocycle, heterocyclealkyl, substituted heterocyclealkyl,  $-C(=O)OR_8$ ,  $-C(=O)R_8$ ,  $-C(O)NR_8R_9$ ,  $-C(=O)NR_8OR_9$ ,  $-SO_2NR_8R_9$ ,  $-NR_8SO_2R_9$ ,  $-CN$ ,  $-NO_2$ ,  $-NR_8R_9$ ,  $-NR_8C(=O)R_9$ ,  $-NR_8C(=O)(CH_2)_bOR_9$ ,  $-NR_8C(=O)(CH_2)_bR_9$ ,  $-O(CH_2)_bNR_8R_9$ , or heterocycle fused to phenyl;

$R_4$  is imidazole;


$R_5$ ,  $R_6$  and  $R_7$  are the same or different and at each occurrence independently hydrogen, alkyl, aryl, arylalkyl, heterocycle or heterocyclealkyl, wherein each of  $R_5$ ,  $R_6$  and  $R_7$  are optionally substituted with one to four substituents independently selected from  $R_3$ ; and

$R_8$  and  $R_9$  are the same or different and at each occurrence independently hydrogen, alkyl, aryl, arylalkyl, heterocycle, or heterocyclealkyl, or  $R_8$  and  $R_9$  taken together with the atom or atoms to which they are bonded form a heterocycle, wherein each of  $R_8$ ,  $R_9$ , and  $R_8$  and  $R_9$  taken together to form a heterocycle are optionally substituted with one to four substituents independently selected from  $R_3$ .

21-73. (Canceled)



74. (Previously presented) A compound having the structure:



or a pharmaceutically acceptable salt thereof, wherein:

-A-R<sub>1</sub> is phenyl, optionally substituted with one to four substituents independently selected from halogen, alkoxy, -NR<sub>8</sub>C(=O)R<sub>9</sub>, -C(=O)NR<sub>8</sub>R<sub>9</sub>, and -O(CH<sub>2</sub>)<sub>b</sub>NR<sub>8</sub>R<sub>9</sub>;

R<sub>2</sub> is 3-triazolyl or 5-tetrazolyl;

a is 1, 2, 3, 4, 5 or 6;

b is 2 or 3;

c is at each occurrence 0, 1, 2, 3 or 4;


R<sub>3</sub> is at each occurrence independently halogen, hydroxy, carboxy, alkyl, alkoxy, haloalkyl, acyloxy, thioalkyl, sulfinylalkyl, sulfonylalkyl, hydroxyalkyl, aryl, substituted aryl, arylalkyl, substituted arylalkyl, heterocycle, substituted heterocycle, heterocyclealkyl, substituted heterocyclealkyl, -C(=O)OR<sub>8</sub>, -C(=O)R<sub>8</sub>, -C(O)NR<sub>8</sub>R<sub>9</sub>, -C(=O)NR<sub>8</sub>OR<sub>9</sub>, -SO<sub>2</sub>NR<sub>8</sub>R<sub>9</sub>, -NR<sub>8</sub>SO<sub>2</sub>R<sub>9</sub>, -CN, -NO<sub>2</sub>, -NR<sub>8</sub>R<sub>9</sub>, -NR<sub>8</sub>C(=O)R<sub>9</sub>, -NR<sub>8</sub>C(=O)(CH<sub>2</sub>)<sub>b</sub>OR<sub>9</sub>, -NR<sub>8</sub>C(=O)(CH<sub>2</sub>)<sub>b</sub>R<sub>9</sub>, -O(CH<sub>2</sub>)<sub>b</sub>NR<sub>8</sub>R<sub>9</sub>, or heterocycle fused to phenyl;

R<sub>5</sub>, R<sub>6</sub> and R<sub>7</sub> are the same or different and at each occurrence independently hydrogen, alkyl, aryl, arylalkyl, heterocycle or heterocyclealkyl, wherein each of R<sub>5</sub>, R<sub>6</sub> and R<sub>7</sub> are optionally substituted with one to four substituents independently selected from R<sub>3</sub>; and

R<sub>8</sub> and R<sub>9</sub> are the same or different and at each occurrence independently hydrogen, alkyl, aryl, arylalkyl, heterocycle, or heterocyclealkyl, or R<sub>8</sub> and R<sub>9</sub> taken together with the atom or atoms to which they are bonded form a heterocycle, wherein each of R<sub>8</sub>, R<sub>9</sub>, and R<sub>8</sub> and R<sub>9</sub> taken together to form a heterocycle are optionally substituted with one to four substituents independently selected from R<sub>3</sub>.

75-84. (Canceled)

85. (Previously presented) A compound having the structure:



or a pharmaceutically acceptable salt thereof, wherein:

A is a direct bond,  $-(CH_2)_a-$ ,  $-(CH_2)_bCH=CH(CH_2)_c-$ , or  $-(CH_2)_bC\equiv C(CH_2)_c-$ ;

$R_1$  is aryl, heteroaryl or heterocycle fused to phenyl, each being optionally substituted with one to four substituents independently selected from  $R_3$ ;

$R_2$  is  $R_4$ ;

$a$  is 1, 2, 3, 4, 5 or 6;

$b$  and  $c$  are the same or different and at each occurrence independently selected from 0, 1, 2, 3 or 4;

$R_3$  is at each occurrence independently halogen, hydroxy, carboxy, alkyl, alkoxy, haloalkyl, acyloxy, thioalkyl, sulfinylalkyl, sulfonylalkyl, hydroxyalkyl, aryl, substituted aryl, arylalkyl, substituted arylalkyl, heterocycle, substituted heterocycle, heterocyclealkyl, substituted heterocyclealkyl,  $-C(=O)OR_8$ ,  $-C(=O)R_8$ ,  $-C(O)NR_8R_9$ ,  $-C(=O)NR_8OR_9$ ,  $-SO_2NR_8R_9$ ,  $-NR_8SO_2R_9$ ,  $-CN$ ,  $-NO_2$ ,  $-NR_8R_9$ ,  $-NR_8C(=O)R_9$ ,  $-NR_8C(=O)(CH_2)_bOR_9$ ,  $-NR_8C(=O)(CH_2)_bR_9$ ,  $-O(CH_2)_bNR_8R_9$ , or heterocycle fused to phenyl;

$R_4$  is 3-triazolyl, optionally substituted at its 5-position with:

(a) methyl, n-propyl, isopropyl, 1-hydroxyethyl, 3-hydroxypropyl, methylaminomethyl, dimethylaminomethyl, 1-(dimethylamino)ethyl, 1-pyrrolidinylmethyl or 2-pyrrolidinyl;

$R_5$ ,  $R_6$  and  $R_7$  are the same or different and at each occurrence independently hydrogen, alkyl, aryl, arylalkyl, heterocycle or heterocyclealkyl, wherein each of  $R_5$ ,  $R_6$  and  $R_7$  are optionally substituted with one to four substituents independently selected from  $R_3$ ; and

R<sub>8</sub> and R<sub>9</sub> are the same or different and at each occurrence independently hydrogen, alkyl, aryl, arylalkyl, heterocycle, or heterocyclealkyl, or R<sub>8</sub> and R<sub>9</sub> taken together with the atom or atoms to which they are bonded form a heterocycle, wherein each of R<sub>8</sub>, R<sub>9</sub>, and R<sub>8</sub> and R<sub>9</sub> taken together to form a heterocycle are optionally substituted with one to four substituents independently selected from R<sub>3</sub>.

86-88. (Canceled)

89. (Previously presented) A composition comprising the compound of claim 6 and a pharmaceutically acceptable carrier.

90. (Previously presented) A composition comprising the compound of claim 10 and a pharmaceutically acceptable carrier.

91. (Previously presented) A composition comprising the compound of claim 11 and a pharmaceutically acceptable carrier.

92. (Previously presented) A composition comprising the compound of claim 12 and a pharmaceutically acceptable carrier.

93-97. (Canceled)

98. (Previously presented) A composition comprising the compound of claim 18 and a pharmaceutically acceptable carrier.

99. (Previously presented) A composition comprising the compound of claim 19 and a pharmaceutically acceptable carrier.

100. (Previously presented) A composition comprising the compound of claim 20 and a pharmaceutically acceptable carrier.

101-103. (Canceled)

104. (Previously presented) A composition comprising the compound of claim 74 and a pharmaceutically acceptable carrier.

105. ((Previously presented) A composition comprising the compound of claim 85 and a pharmaceutically acceptable carrier.

106. (Previously presented) A compound of claim 6, wherein the compound is:

3-(2-phenylethynyl)-1H-indazole-5-carboxamide, or a pharmaceutically acceptable salt thereof.

107. (Previously presented) A compound of claim 10, wherein the compound is:

1-((3-(4-fluorophenyl)-1H-indazol-5-yl)carbonyl) piperidine-4-carboxylic acid;  
3-(4-fluorophenyl)(1H-indazol-5-yl) pyrrolidinyl ketone;  
3-(4-fluorophenyl)(1H-indazol-5-yl)piperazinyl ketone;  
1-(3-(4-fluorophenyl)-1H-indazol-5-yl)-2-phenylethan-1-one;  
1-(3-(4-fluorophenyl)-1H-indazol-5-yl)ethan-1-one; or a pharmaceutically acceptable salt thereof.

108. (Previously presented) A compound of claim 11, wherein the compound is:

3-(4-fluorophenyl)-1H-indazole-5-carboxamide;  
(3-(4-fluorophenyl)(1H-indazol-5-yl))-N-benzamide;  
N-(2-(dimethylamino)ethyl)3-(4-fluorophenyl) (1H-indazol-5-yl)carboxamide;  
methyl 4-((3-(4-fluorophenyl)-1H-indazol-5-yl)carbonylamino) benzoate;  
4-((3-(4-fluorophenyl)-1H-indazol-5-yl)carbonylamino) benzoic acid;  
4-((3-(4-fluorophenyl)-1H-indazole-5-yl)carbonylamino) benzamide;  
(3-(4-fluorophenyl)(1H-indazol-5-yl))-N-(2-pyridyl)carboxamide;  
(3-(4-fluorophenyl)(1H-indazol-5-yl))-N-(3-pyridyl)carboxamide;  
(3-(4-fluorophenyl)(1H-indazol-5-yl))-N-(4-pyridyl)carboxamide;  
tert-butyl 3-((3-(4-fluorophenyl)-1H-indazol-5-yl)carbonylamino)propanoate;  
(3-(4-fluorophenyl)(1H-indazol-5-yl))-N-(3-hydroxyphenyl)carboxamide;  
3-((3-(4-fluorophenyl)-1H-Indazol-5-yl)carbonylamino)propanoic acid;  
(3-(4-fluorophenyl)(1H-indazol-5-yl))-N-(3-nitrophenyl)carboxamide;  
tert-butyl-2-((3-(4-fluorophenyl)-1H-indazol-5-yl)carbonylamino) acetate;  
4-((3-(4-fluorophenyl)-1H-indazol-5-yl)carbonylamino) butanoic acid;

N-(3-aminophenyl)(3-(4-fluorophenyl)(1H-indazol-5-yl))carboxamide;  
 2-((3-(4-fluorophenyl)-1H-indazol-5-yl)carbonylamino}acetic acid;  
 5-((3-(4-fluorophenyl)-1H-indazol-5-yl)carbonylamino}pentanoic acid;  
 4-((3-(4-fluorophenyl)-1H-indazol-5-yl)carbonylamino}methyl)benzoic acid;  
 (3-(4-fluorophenyl)(1H-indazol-5-yl))-N-(4-pyridylmethyl)carboxamide;  
 2-(4-((3-(4-fluorophenyl)-1H-indazol-5-yl)carbonylamino}phenyl)acetic acid;  
 (3-(4-fluorophenyl)(1H-indazol-5-yl))-N,N-dimethylcarboxamide;  
 (3-(4-fluorophenyl)(1H-indazol-5-yl))-N-methylcarboxamide;  
 N-(3-aminoethyl)(3-(4-fluorophenyl)(1H-indazol-5-yl))carboxamide;  
 N-(3-aminopropyl)(3-(4-fluorophenyl)(1H-indazol-5-yl))carboxamide;  
 (3-(4-fluorophenyl)(1H-indazol-5-yl))-N-(2-hydroxypropyl)carboxamide;  
 N-(2H-1,2,3,4-tetrazol-5-yl)(3-(4-fluorophenyl)(1H-indazol-5-yl))carboxamide;  
 {3-(4-fluorophenyl)(1H-indazol-5-yl)}-N-(3-morpholin-4-ylpropyl)carboxamide;  
 (3-(4-fluorophenyl)(1H-indazol-5-yl))-N-(3-pyridylmethyl)carboxamide;  
 N-(((2R)-2-hydroxycyclohexyl)methyl)(3-(4-fluorophenyl)(1H-indazole-5-yl))carboxamide;  
 (3-(4-fluorophenyl)(1H-indazol-5-yl))-N-(2-(1-methylimidazol-5-yl)ethyl)carboxamide);  
 (3-(4-fluorophenyl)(1H-indazol-5-yl))-N-(2-pyridylmethyl)carboxamide;  
 N-(2-carbamoyl)ethyl(3-(4-fluorophenyl)(1H-indazol-5-yl))carboxamide;  
 N-(3-carbamoylpropyl)(3-(4-fluorophenyl)(1H-indazol-5-yl))carboxamide;  
 3-(4-methoxyphenyl)-1H-indazole-5-carboxamide;  
 3-(4-hydroxyphenyl)-1H-indazole-5-carboxamide;  
 3-(2-naphthyl)-1H-indazole-5-carboxamide;  
 3-benzo(b)thiophen-2-yl-1H-indazole-5-carboxamide;  
 3-benzo(d)furan-2-yl-1H-indazole-5-carboxamide;  
 3-(3-(methylethyl)phenyl)-1H-indazole-5-carboxamide;  
 3-(4-(dimethylamino)phenyl)-1H-indazole-5-carboxamide;  
 3-(3-furyl)-1H-indazole-5-carboxamide;  
 3-{4-(2-(dimethylamino)ethoxy)phenyl}-1H-indazole-5-carboxamide;  
 3-(3,4-dimethoxyphenyl)-1H-indazole-5-carboxamide;  
 3-(3-aminophenyl)-1H-indazole-5-carboxamide;  
 3-(2H-benzo(d)[1,3]dioxolen-5-yl)-1H-indazole-5-carboxamide;

(3-benzo(d)furan-2-yl(1H-indazol-5-yl))-N-(methylethyl)carboxamide;  
 (3-benzo(d)furan-2-yl(1H-indazol-5-yl))-N-(2-methoxyethyl)carboxamide;  
 (3-benzo(d)furan-2-yl(1H-indazol-5-yl))-N-(2-(dimethylamino)ethyl)carboxamide;  
 (3-benzo(d)furan-2-yl(1H-indazol-5-yl))-N-(4-(dimethylamino)butyl)carboxamide;  
 (3-benzo(d)furan-2-yl(1H-indazol-5-yl))-N-(3-(dimethylamino)propyl)carboxamide;  
 (3-benzo(d)furan-2-yl(1H-indazol-5-yl))-N-(2-methylpropyl)carboxamide;  
 (3-benzo(d)furan-2-yl(1H-indazol-5-yl))-N-methylcarboxamide;  
 3-(3-(3-pyridylcarbonylamino)phenyl)-1H-indazole-5-carboxamide;  
 3-(3-(2-methoxyacetyl amino)phenyl)-1H-indazole-5-carboxamide;  
 3-(3-(4-piperidylcarboxyamino)phenyl)-1H-indazole-5-carboxamide;  
 (1S)-1-{N-(3-(5-carbamoyl(1H-indazol-3-yl))phenyl)carbamoyl}ethyl acetate;  
 3-{3-(2-methoxyethyl)amino}phenyl}-1H-indazole-5-carboxamide;  
 3-(3-(3-piperidylpropanoylamino)phenyl)-1H-indazole-5-carboxamide;  
 3-(3-(2-furylcarbonylamino)phenyl)-1H-indazole-5-carboxamide;  
 3-{3-(2-(dimethylamino)acetyl amino)phenyl}-1H-indazole-5-carboxamide;  
 3-(3-(2-phenylacetyl amino)phenyl)-1H-Indazole-5-carboxamide;  
 3-{3-(2-(4-methoxyphenyl)acetyl amino)phenyl}-1H-indazole-5-carboxamide;  
 3-{3-(2-(2-methyl-1,3-thiazol-5-yl)acetyl amino)phenyl}-1H-indazole-5-  
 carboxamide;  
 3-(3-(oxolan-3-yl-carbonylamino)phenyl)-1H-indazole-5-carboxamide;  
 3-(3-(2-(3-thienyl)acetyl amino)phenyl)-1H-indazole-5-carboxamide;  
 3-(3-(2-thienylcarbonylamino)phenyl)-1H-indazole-5-carboxamide;  
 3-(3-(2-(4-pyridyl)acetyl amino)phenyl)-1H-Indazole-5-carboxamide;  
 3-(3-(2-(2-pyridyl)acetyl amino)phenyl)-1H-Indazole-5-carboxamide;  
 3-{3-(2-(4-fluorophenyl)acetyl amino)phenyl}-1H-indazole-5-carboxamide;  
 3-(3-(cyclopropylcarbonylamino)phenyl)-1H-indazole-5-carboxamide;  
 3-{3-((3-hydroxyphenyl)carbonylamino)phenyl}-1H-indazole-5-carboxamide;  
 3-{3-(2-(2,4-dichlorophenyl)acetyl amino)phenyl}-1H-indazole-5-carboxamide;  
 3-(3-{2-(4-(trifluoromethyl)phenyl)acetyl amino}phenyl)-1H-indazole-5-  
 carboxamide;  
 3-(3-{2-(4-(dimethylamino)phenyl)acetyl amino}phenyl)-1H-indazole-5-  
 carboxamide;

3-{3-(2-(2-chloro-4-fluorophenyl) acetylamino)phenyl}-1H-indazole-5-carboxamide;

3-{3-(2-(4-chlorophenyl)acetylamino)phenyl}-1H-indazole-5-carboxamide;

3-(3-(3-phenylpropanoylamino)phenyl)-1H-indazole-5-carboxamide;

3-{3-(3-(4-fluorophenyl)propanoylamino)phenyl}-1H-indazole-5-carboxamide;

3-{3-(2-(3,4-difluorophenyl)acetylamino)phenyl}-1H-indazole-5-carboxamide;

3-{3-(2-(2-fluorophenyl) acetylamino)phenyl}-1H-indazole-5-carboxamide;

3-(3-(2-phenylpropanoylamino)phenyl)-1H-indazole-5-carboxamide;

3-(3-(2-piperidylethoxy)phenyl)-1H-indazole-5-carboxamide;

N-ethyl-3-{(3-(4-fluorophenyl)(1H-indazol-5-yl))carbonylamino} propanamide;

(3-(4-fluorophenyl)(1H-indazol-5-yl))-N-(3-methoxypropyl)carboxamide;

3-{3-(N-(2-piperidylethyl)carbamoyl)phenyl}-1H-indazole-5-carboxamide;

(3-(4-fluorophenyl)(1H-indazol-5-yl))-N-(2-hydroxyethyl)carboxamide;

(3-(4-fluorophenyl)(1H-indazol-5-yl))-N-(3-hydroxypropyl)carboxamide;

(3-(4-fluorophenyl)(1H-indazol-5-yl))-N-(2-methoxyethyl)carboxamide;

(3-(4-fluorophenyl)(1H-indazol-5-yl))-N-(oxolan-2-ylmethyl)carboxamide;

3-(2H, 3H-benzo(e)1,4-dioxin-6-yl)-1H-indazole-5-carboxamide;

3-(3-quinolyl)-1H-indazole-5-carboxamide;

3-(6-methoxy-2-naphthyl)-1H-indazole-5-carboxamide;

3-(2,3-dihydrobenzo(b)furan-5-yl)-1H-indazole-5-carboxamide;

(3-(4-fluorophenyl)(1H-indazol-5-yl))-N-(3-oxo-3-pyrrolidinylpropyl) carboxamide;

3-{(3-(4-fluorophenyl)(1H-indazol-5-yl))carbonylamino}-N-methyl propanamide;

3-{(3-(4-fluorophenyl)(1H-indazol-5-yl))carbonylamino}-N,N-dimethyl propanamide;

3-{(3-(4-fluorophenyl)(1H-indazol-5-yl))carbonylamino}-N-(2-methoxyethyl)propanamide; or a pharmaceutically acceptable salt thereof.

109. (Previously presented) A compound of claim 12, wherein the compound is:

phenyl-N-(3-phenyl(1H-indazol-5-yl))carboxamide;

N-(3-phenyl(1H-indazol-5-yl))-2-pyridylcarboxamide;

methyl 4-(N-(3-phenyl-1H-indazol-5-yl)carbamoyl)benzoate;

4-(N-(3-phenyl-1H-indazol-5-yl)carbamoyl)benzoic acid;

(2-hydroxyphenyl)-N-(3-phenyl(1H-indazol-5-yl))carboxamide;

N-(3-(phenyl-1H-indazole-5-yl))acetamide;  
 (4-aminophenyl)-N-(3-phenyl(1H-indazol-5-yl))carboxamide;  
 (3-aminophenyl)-N-(3-phenyl(1H-indazol-5-yl))carboxamide;  
 N-(3-(4-fluorophenyl)(1H-indazol-5-yl)) (2-methylphenyl)carboxamide;  
 N-(3-(4-fluorophenyl)(1H-indazol-5-yl))(2-methoxyphenyl)carboxamide;  
 N-(3-(4-fluorophenyl)(1H-indazol-5-yl))(4-phenylphenyl)carboxamide;  
 benzo(b)thiophen-2-yl-N-(3-(4-fluorophenyl)(1H-indazol-5-yl))carboxamide;  
 methyl 4- {N-(3-(4-fluorophenyl)-1H-indazol-5-yl)carbamoyl} benzoate;  
 N-(3-(4-fluorophenyl)(1H-indazol-5-yl))-2-pyridylcarboxamide;  
 4- {N-(3-(4-fluorophenyl)-1H-indazol-5-yl)carbamoyl} benzoic acid;  
 cyclopropyl-N-(3-(4-fluorophenyl)(1H-indazol-5-yl))carboxamide;  
 methyl 4- {N-(3-(4-fluorophenyl)(1H-indazol-5-yl))-N-methylcarbamoyl} benzoate;  
 4- {N-(3-fluorophenyl)(1H-indazol-5-yl))-N-methylcarbamoyl} benzoic acid;  
 methyl 3- {N-((4-fluorophenyl)-1H-indazol-5-yl} carbamoyl} benzoate;  
 3- {N-(3-(4-fluorophenyl)-1H-indazol-5-yl)carbamoyl} benzoic acid;  
 N-(3-(4-fluorophenyl)-(1H-indazol-5-yl))(4-(N-methylcarbamoyl)phenyl)carboxamide;  
 4- {N-(3-(4-fluorophenyl)-1H-indazol-5-yl)carbamoyl} benzamide;  
 1-4- {N-(3-(4-methoxyphenyl)-1H-indazol-5-yl)carbamoyl} benzoic acid;  
 4-(N-(3-(4-pyridyl)-1H-indazol-5-yl)carbamoyl)benzoic acid;  
 N-(3-(4-fluorophenyl)(1H-indazol-5-yl))benzamide;  
 (3,4-bis(trifluoromethyl)phenyl)-N-(3-(4-fluorophenyl)(1H-indazol-5-yl))carboxamide;  
 N-(3-(4-fluorophenyl)(1H-indazol-5-yl))-2-furylcarboxamide;  
 N-(3-(4-fluorophenyl)(1H-indazol-5-yl))(3,4-dichlorophenyl)carboxamide;  
 N-(3-(4-fluorophenyl)(1H-indazol-5-yl))(2-hydroxyphenyl)carboxamide;  
 N-(3-(4-fluorophenyl)(1H-indazol-5-yl))-4-pyridylcarboxamide;  
 N-(3-(4-fluorophenyl)(1H-indazol-5-yl))-3-pyridylcarboxamide;  
 N-(3-(4-fluorophenyl)(1H-indazol-5-yl))-2-thienylcarboxamide;  
 N-(3-(4-fluorophenyl)(1H-indazol-5-yl))morpholin-4-yl-carboxamide;  
 [N-(((2R)-2-hydroxycyclohexyl)methyl) (3-(4-fluorophenyl) (1H-indazol-5-yl))carboxamide;] or a pharmaceutically acceptable salt thereof.



114. (Previously presented) A compound of claim 18, wherein the compound is:

3-(3-(4-fluorophenyl)-1H-indazol-5-yl)-1H-1,2,4-triazole;  
5-(3-(4-fluorophenyl)(1H-indazole-5-yl))-3-methyl-4H-1,2,4-triazole;  
5-{3-(4-fluorophenyl)(1H-indazole-5-yl)]-3-(methylethyl)-4H-1,2,4-triazole;  
1-{5-(3-(4-fluorophenyl)-1H-indazole-5-yl)-4H-1,2,4-triazol-3-yl} propan-2-ol;  
5-(3-(4-fluorophenyl)(1H-indazol-5-yl))-3-propyl-4H-1,2,4-triazole;  
5-{3-(3-(methylethyl)phenyl)-1H-indazol-5-yl}-1H-1,2,4-triazole;  
4-(5-(1H-1,2,4-triazol-5-yl)-1H-indazol-3-yl)phenol;  
(4-(5-(1H-1,2,4-triazol-5-yl)(1H-indazol-3-yl))phenyl)dimethylamine;  
{2-(4-(5-(1H-1,2,4-triazol-5-yl)(1H-indazol-3-yl))phenoxy)ethyl} dimethylamine;  
3-(5-(1H-1,2,4-triazol-5-yl)-1H-indazol-3-yl)furan;  
1-(5-(1H-1,2,4-triazol-5-yl)(1H-indazol-3-yl))-4-methoxybenzene;  
5-(3-naphthyl-1H-indazol-5-yl)-1H-1,2,4-triazole;  
3-(5-(1H-1,2,4-triazol-3-yl)-1H-indazol-3-yl)thiophene;  
5-(3-(2-naphthyl)-1H-indazol-5-yl)-1H-1,2,4-triazole;  
3-(5-(1H-1,2,4-triazol-3-yl)-1H-indazol-3-yl)phenylamine;  
3-(3-(3,4-dichlorophenyl)-1H-indazol-5-yl)-1H-1,2,4-triazole;  
3-(5-(1H-1,2,4-triazol-5-yl)-1H-indazol-3-yl)benzo(b)thiophene;  
3-(3-(4-methylphenyl)-1H-indazol-5-yl)-1H-1,2,4-triazole;  
N-(3-(5-(1H-1,2,4-triazol-3-yl)-1H-indazol-3-yl)phenyl)acetamide;  
5-(3-(3-chlorophenyl)-1H-indazol-5-yl)-1H-1,2,4-triazole;  
2-(5-(1H-1,2,4-triazol-5-yl)-1H-indazol-3-yl)benzo(b)furan;  
1-(5-(1H-1,2,4-triazol-5-yl)(1H-indazol-3-yl))-4-(methylsulfonyl)benzene;  
1-(5-(1H-1,2,4-triazol-5-yl)(1H-indazol-3-yl))-4-(methylsulfinyl)benzene;  
5-(5-(1H-1,2,4-triazol-5-yl)-1H-indazol-3-yl)-2H-benzo(d)1,3-dioxolene;  
4-(5-(1H-1,2,4-triazol-5-yl)-1H-indazol-3-yl)phenylamine;  
5-{3-(4-(trifluoromethyl)phenyl)-1H-indazol-5-yl}-1H-1,2,4-triazole;  
(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl)) phenyl) (methylsulfonyl)amine;  
N-(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-2-methoxyacetamide;  
N-(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-2-phenylacetamide;  
N-(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-2-furylcarboxamide;  
5-(3-(2-phenylethynyl)-1H-indazol-5-yl)-1H-1,2,4-triazole;

N-(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-3-pyridylcarboxamide;  
 1-{5-{3-(4-fluorophenyl)1H-indazol-5-yl}-4H-1,2,4-Triazol-3-yl}ethan-1-ol;  
 1-{5-(3-(4-fluorophenyl)-1H-indazol-5-yl)-4H-1,2,4-triazol-3-yl}propan-2-ol;  
 {3-(3-(5-(1H-1,2,4-triazol-5-yl)(1H-indazol-3-yl))phenoxy)propyl}dimethylamine;  
 {2-(3-(5-(1H-1,2,4-triazol-5-yl)(1H-indazol-3-yl))phenoxy)ethyl} dimethylamine;  
 1-(5-(1H-1,2,4-triazol-5-yl)(1H-indazol-3-yl))-3-(2-morpholin-4-yl-ethoxy)benzene;  
 1-(5-(1H-1,2,4-triazol-5-yl)(1H-indazol-3-yl))-3-(2-pyrrolidinylethoxy) benzene;  
 1-(5-(1H-1,2,4-triazol-5-yl)(1H-indazol-3-yl))-3-(2-piperidylethoxy) benzene;  
 1-{2-(3-(5-(1H-1,2,4-triazol-5-yl)-1H-indazol-3-yl)phenoxy)ethyl} pyrrolidin-2-one;  
 1-(5-(1H-1,2,4-triazol-5-yl)(1H-indazol-3-yl))-3-(2-piperazinylethoxy) benzene;  
 1-(5-(1H-1,2,4-triazol-5-yl)(1H-indazol-3-yl))-3-(3-piperdylpropoxy) benzene;  
 4-{2-(3-(5-(1H-1,2,4-triazol-5-yl)(1H-indazol-3-yl))phenoxy)ethyl}-1-acetylpiperazine;  
 2-(3-(5-(1H-1,2,4-triazol-5-yl)-1H-indazol-3-yl)phenoxy)ethylamine;  
 1-(5-(1H-1,2,4-triazol-5-yl)(1H-indazol-3-yl))-3-(2-cyclohexylethoxy) benzene;  
 1-(5-(1H-1,2,4-triazol-5-yl)(1H-indazol-3-yl))-3-(2-azaperhyroepinylethoxy)benzene;  
 N-(4-(5-(1H-1,2,4-triazol-5-yl)(1H-indazol-3-yl))phenyl)-2-furyl caroxamide;  
 (3-(5-(1H-1,2,4-triazol-5-yl)(1H-indazol-3-yl))phenyl)-N-benzyl caroxamide;  
 5-(3-(2-chlorophenyl)-1H-indazol-3-yl)-1H-1,2,4-triazole;  
 (3-(5-(1H-1,2,4-triazol-5-yl)(1H-indazol-3-yl))phenyl)-N-(2,2-dimehtylpropyl)carboxamide;  
 (3-(5-(1H-1,2,4-triazol-5-yl)(1H-indazol-3-yl))phenyl)-N-(cyclopropylmethyl)carboxamide;  
 (3-(5-(1H-1,2,4-trizol-5-yl)(1H-indazol-3-yl))phenyl)-N-(3-pyridylmethyl)carboxamide;  
 (3-(5-(1H-1,2,4-triazol-5-yl)(1H-indazol-3-yl))phenyl)-4-methyl piperazinyl ketone;  
 (3-(5-(1H-1,2,4-triazol-5-yl)(1H-indazol-3-yl))phenyl)-N-((4-fluorophenyl)methyl)carboxamide;  
 (3-(5-(1H-1,2,4-triazol-5-yl)(1H-indazol-3-yl))phenyl)-N-indan-2-ylcarboxamide;  
 (3-(5-(1H-1,2,4-triazol-5-yl)(1H-indazol-3-yl))phenyl)-N-((1R)indanyl)carboxamide;

(3-(5-(1H-1,2,4-triazol-5-yl)(1H-indazol-3-yl))phenyl)-N-((1S)indanyl)carboxamide;  
 (3-(5-(1H-1,2,4-triazol-5-yl)(1H-indazol-3-yl))phenyl)-N-((1S,2R)-2-hydroxyindanyl)carboxamide;  
 (3-(5-(1H-1,2,4-triazol-5-yl)(1H-indazol-3-yl))phenyl)-N-((2S,1R)-2-hydroxyindanyl)carboxamide;  
 (3-(5-(1H-1,2,4-triazol-5-yl)(1H-indazol-3-yl))phenyl)-N-(1-methyl-1-phenylethyl)carboxamide;  
 (3-(5-(1H-1,2,4-triazol-5-yl)(1H-indazol-3-yl))phenyl)-N-(tert-butyl)carboxamide;  
 (3-(5-(1H-1,2,4-triazol-5-yl)(1H-indazol-3-yl))phenyl)-N-((1R)-1-phenylethyl)carboxamide;  
 1-(5-(1H-1,2,4-triazol-5-yl)(1H-indazol-3-yl))-3-(2-piperidylethoxy) benzene;  
 (3-(5-(1H-1,2,4-triazol-5-yl)(1H-indazol-3-yl))phenyl)-isoindolin-2-yl ketone;  
 (3-(5-(1H-1,2,4-triazol-5-yl)(1H-indazol-3-yl))phenyl)-N-(2-(dimethylamino)ethyl)carboxamide;  
 1-(5-(1H-1,2,4-triazol-5-yl)(1H-indazol-3-yl))-3-(2-piperidylethoxy) benzene;  
 (3-(5-(1H-1,2,4-triazol-5-yl)(1H-indazol-3-yl))phenyl)-N-(1R)indanyl benzene;  
 {5-(3-(4-fluorophenyl)-1H-indazol-5-yl)-4H-(1,2,4)-triazol-3-ylmethyl}-dimethylamine;  
 N-(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-3-piperidylpropanamide;  
 N-(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-2-hydroxypropanamide;  
 N-(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-2-(dimethylamino)acetamide;  
 N-(3-(5-(1H-1,2,4-triazol-3-yl)-1H-indazol-3-yl)phenyl)butanamide;  
 N-(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-2-phenoxypropanamide;  
 N-(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-3,3-dimethylbutanamide;  
 N-(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)cyclopropylcarboxamide;  
 N-(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)(6-chloro(3-pyridyl))carboxamide;  
 N-(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)cyclopentylcarboxamide;  
 N-(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)benzo(b)thiophen-2-carboxamide;  
 N-(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-2-pyridylcarboxamide;

N-(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-3-furylcarboxamide;  
 N-(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-2-hydroxy-2-phenylacetamide;  
 N-(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)isoxazol-5-ylcarboxamide;  
 N-(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)pentanamide;  
 N-(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-4-pyridylcarboxamide;  
 N-(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-2-cyclohexylacetamide;  
 N-(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-3-propanamide;  
 N-(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-2-(4-fluorophenyl)acetic acid;  
 N-(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)(2R)-2-hydroxy-2-phenylacetamide;  
 N-(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)(2S)-2-hydroxy-2-phenylacetamide;  
 (2-{3-(3-(4-fluorophenyl)(1H-indazol-5-yl))(1H-1,2,4-triazol-5-yl)}ethyl)dimethylamine;  
 diethyl({3-(3-(4-fluorophenyl)(1H-indazol-5-yl))(1H-1,2,4-triazol-5-yl)}methyl)amine;  
 ({3-(3-(4-fluorophenyl)(1H-indazol-5-yl))(1H-1,2,4-triazol-5-yl)}methyl)methylamine;  
 ({3-(3-(4-fluorophenyl)(1H-indazol-5-yl))(1H-1,2,4-triazol-5-yl)}ethyl)dimethylamine;  
 (2R)-N-(3-(5-{5-((dimethylamino)methyl)(1H-1,2,4-triazol-3-yl)}(1H-indazol-3-yl))phenyl)-2-hydroxy-2-phenylacetamide;  
 N-(3-(5-{5-((dimethylamino)methyl)(1H-1,2,4-triazol-3-yl)}(1H-indazol-3-yl))phenyl)-3,3-dimethylbutanamide;  
 N-(3-(5-{5-((dimethylamino)methyl)(1H-1,2,4-triazol-3-yl)}(1H-indazol-3-yl))phenyl)-3-methylbutanamide;  
 N-(3-(5-{5-((dimethylamino)methyl)(1H-1,2,4-triazol-3-yl)}(1H-indazol-3-yl))phenyl)-3-pyridylcarboxamide;  
 (3-(5-{5-((dimethylamino)methyl)(1H-1,2,4-triazol-3-yl)}(1H-indazol-3-yl))phenyl)-N-((4-fluorophenyl)methyl)carboxamide;

(3-(5-{5-((dimethylamino)methyl)(1H-1,2,4-triazol-3-yl)}(1H-indazol-3-yl))phenyl)-  
 N-((*tert*-butyl)methyl)carboxamide;  
 ((1R)indanyl)(3-(5-{5-((dimethylamino)methyl)(1H-1,2,4-triazol-3-yl)}(1H-indazol-  
 3-yl))phenyl)carboxamide;  
 ({3-(3-(4-methoxyphenyl)(1H-indazol-5-yl))(1H-1,2,4-triazol-5-  
 yl)}methyl)dimethylamine;  
 {(3-(3-(2H-benzo(d)1,3-dioxolen-5-yl))(1H-indazol-5-yl))(1H-1,2,4-triazol-5-  
 yl)}methyl}dimethylamine;  
 (3-(5-(3-((dimethylamino)methyl)(1H-1,2,4-triazol-5-yl))(1H-indazol-3-yl))phenyl)-  
 N-(2-piperidylethyl)carboxamide;  
 ((5-(3-benzo(D)furan-2-yl)(1H-indazol-5-yl))(1H-1,2,4-triazol-3-  
 yl))methyl)dimethylamine;  
 (3-(5-(3-((dimethylamino)methyl)(1H-1,2,4-triazol-5-yl))(1H-indazol-3-yl))phenyl)-  
 N-benzamide;  
 (3-(5-(3-((dimethylamino)methyl)(1H-1,2,4-triazol-5-yl))(1H-indazol-3-yl))phenyl)-  
 N-(4-fluorophenyl)carboxamide-2HCl;  
 (3-(5-(3-((dimethylamino)methyl)(1H-1,2,4-triazol-5-yl))(1H-indazol-3-yl))phenyl)-  
 N-indan-2-yl-carboxamide;  
 (3-(5-(3-((dimethylamino)methyl)(1H-1,2,4-triazol-5-yl))(1H-indazol-3-yl))phenyl)-  
 N-cyclopropylcarboxamide;  
 (3-(5-(3-((dimethylamino)methyl)(1H-1,2,4-triazol-5-yl))(1H-indazol-3-yl))phenyl)-  
 N-cyclobutylcarboxamide-2HCl;  
 1-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl)-3-(2-methoxyethoxy)benzene;  
 1-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl)-3-(3-pyridylmethoxy)benzene;  
 3-(5-(1H-1,2,4-triazol-3-yl)-1H-indazol-3-yl)benzoic acid;  
 3-(5-(1H-1,2,4-triazol-3-yl)-1H-indazol-3-yl)benzoic acid N-(4-(5-(1H-1,2,4-triazol-  
 3-yl)(1H-indazol-3-yl))phenyl)-2-(3-pyridyl)acetamide;  
 N-(4-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-2-phenylacetamide;  
 N-(4-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-2-methoxyacetamide;  
 N-(4-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-2-  
 (dimethylamino)acetamide;  
 (4-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)(methylsulfonyl)amine;

(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-N-(2-methoxyethyl)carboxamide;  
 (3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-N-benzamide;  
 (3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-N-(2-phenethyl)carboxamide;  
 (3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-N-(2-piperidylethyl)carboxamide;  
 (3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-N-(2-morpholin-4-ylethyl)carboxamide;  
 (3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-N-cyclohexylcarboxamide;  
 (3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-N-cyclopentylcarboxamide;  
 (3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-N-(4-fluorophenyl)carboxamide;  
 (3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-N-((1R,2R)-2-phenylcyclopropyl)carboxamide;  
 (3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-N-cyclopropylcarboxamide;  
 (3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-N-(3-pyridyl)carboxamide;  
 (3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-N-(5,6,7,8-tetrahydronaphthyl)carboxamide;  
 (3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-N-(1-benzyl(4-piperidyl))carboxamide;  
 (3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-N-(1-benzylpyrrolidin-3-yl)carboxamide;  
 (3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-N-(methylethyl)carboxamide;  
 (3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-N-cyclobutylcarboxamide;  
 (3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-N-(4-pyridyl)carboxamide;  
 6-(5-(1H-1,2,4-triazol-3-yl)-1H-indazol-3-yl)-2H,3h-benzo(e)1,4-dioxin;  
 6-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))-2-methoxynaphthalene;  
 3-(3-(3-quinoyl)-1H-indazol-5-yl)-1H-1,2,4-triazole;  
 5-(5-(1H-1,2,4-triazol-3-yl)-1H-indazol-3-yl)-2,3-dihydrobenzo(b)furan;  
 N-(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)benzamide;  
 N-(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)(2,4-dichlorophenyl)carboxamide;

N-(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)(4-methoxyphenyl)carboxamide;  
 N-(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)(4-methylphenyl)carboxamide;  
 N-(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)(4-chlorophenyl)carboxamide;  
 N-(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-2-methylpropanamide;  
 N-(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-3-methylbutanamide;  
 N-(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-2-morpholin-4-yl-acetamide;  
 N-(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-2-(4-methylpiperazinyl)acetamide;  
 2-methoxy-6-{5-(5-(pyrrolidinylmethyl)(1H-1,2,4-triazol-3-yl))(1H-indazol-3-yl)}naphthalene;  
 N-phenyl(3-{5-(5-(pyrrolidinylmethyl)(1H-1,2,4-triazol-3-yl))(1H-indazol-3-yl)}phenyl)carboxamide;  
 6-{5-(5-(pyrrolidinylmethyl)-1H-1,2,4-triazol-3-yl)-1H-indazol-3-yl}-2H,3H-benzo(e)1,4-dioxin; or a pharmaceutically acceptable salt thereof.

115. (Previously presented) A compound of claim 19, wherein the compound is:

5-(3-(4-fluorophenyl)-1H-indazol-5-yl)-2H-1,2,3,4-tetrazole;  
 1-(5-(2H-1,2,3,4-tetrazol-5-yl)(1H-indazol-3-yl))-2-methoxybenzene;  
 5-(3-(3-pyridyl)-1H-indazol-5-yl)-2H-1,2,3,4-tetrazole;  
 2-(5-(2H-1,2,3,4-tetrazol-5-yl)-1H-indazol-3-yl)thiophene;  
 5-{3-(4-(methylethyl)phenyl)-1H-indazol-5-yl}-2H-1,2,3,4-tetrazole;  
 2-(5-(2H-1,2,3,4-tetrazol-5-yl)-1H-indazol-3-yl)furan;  
 3-(5-(2H-1,2,3,4-tetrazol-5-yl)-1H-indazol-3-yl)phenylamine;  
 5-(5-(1H-1,2,3,4-tetraazol-5-yl)-1H-indazol-3-yl)-2H-benzo(d)1,3-dioxolene;  
 3-(5-(2H-1,2,3,4-tetrazol-5-yl)-1H-indazol-3-yl)thiophene;  
 5-(3-(2-naphthyl)-1H-indazol-5-yl)-1H-1,2,3,4-tetrazole;  
 1-(5-(1H-1,2,3,4-tetraazol-5-yl)(1H-indazol-3-yl))-4-methoxybenzene;  
 1-(5-(1H-1,2,3,4-tetraazol-5-yl)(1H-indazol-3-yl))-4-(2-methylpropoxy)benzene;  
 5-(3-(4-chlorophenyl)-1H-indazol-5-yl)-2H-1,2,3,4-tetrazole;

1-(5-(2H-1,2,3,4-tetrazol-5-yl)(1H-indazol-3-yl))-3-methoxybenzene;  
 5-(3-(4-pyridyl)-1H-indazol-5-yl)-2H-1,2,3,4-tetrazole;  
 2-(5-(2H-1,2,3,4-tetraazol-5-yl)-1H-indazol-3-yl)benzo(b)furan;  
 2-(5-(2H-1,2,3,4-tetrazol-5-yl)-1H-indazol-3-yl)phenol;  
 3-(5-(2H-1,2,3,4-tetrazol-5-yl)-1H-indazol-3-yl)phenol;  
 5-(3-(2-phenylethynyl)-1H-indazol-5-yl)-1H-1,2,3,4-tetrazole;  
 5-(3-(2-phenylethyl)-1H-indazol-5-yl)-2H-1,2,3,4-tetrazole;  
 N-(3-(5-(2H-1,2,3,4-tetrazol-5-yl)(1H-indazol-3-yl))phenyl)-2-methoxyacetamide;  
 2-(5-(1H-1,2,3,4-tetraazol-5-yl)-1H-indazol-3-yl)benzo(b)thiophene;  
 1-(5-(1H-1,2,3,4-tetraazol-5-yl)(1H-indazol-3-yl))-4-(2-morpholin-4-  
 ylethoxy)benzene;  
 N-(3-(5-(2H-1,2,3,4-tetrazol-5-yl)(1H-indazol-3-yl))phenyl)-2-phenoxypropanamide;  
 N-(3-(5-(2H-1,2,3,4-tetrazol-5-yl)(1H-indazol-3-yl))phenyl)-3-  
 piperidylpropanamide;  
 N-(3-(5-(2H-1,2,3,4-tetrazol-5-yl)(1H-indazol-3-yl))phenyl)-2-furylcarboxamide;  
 1-(5-(1H-1,2,3,4-tetraazol-5-yl)(1H-indazol-3-yl))-3-(2-morpholin-4-  
 ylethoxy)benzene;  
 4-(5-(2H-1,2,3,4-tetraazol-5-yl)(1H-indazol-3-yl))-1,2-dimethoxybenzene;  
 N-(3-(5-(2H-1,2,3,4-tetrazol-5-yl)(1H-indazol-3-yl))phenyl)-3-  
 methoxypropanamide;  
 N-(3-(5-(2H-1,2,3,4-tetrazol-5-yl)(1H-indazol-3-yl))phenyl)-3-pyridylcarboxamide;  
 {3-(4-(5-(1H-1,2,3,4-tetraazol-5-yl)(1H-indazol-3-yl))phenoxy)propyl}  
 dimethylamine;  
 {3-(3-(5-(1H-1,2,3,4-tetrazol-5-yl)(1H-indazol-3-yl))phenoxy)propyl}  
 dimethylamine;  
 {2-(3-(5-(1H-1,2,3,4-tetrazol-5-yl)(1H-indazol-3-yl))phenoxy)ethyl} dimethylamine;  
 N-(3-(5-(2H-1,2,3,4-tetrazol-5-yl)(1H-indazol-3-yl))phenyl)-(2S)-2-  
 hydroxypropanamide;  
 N-(4-(5-(2H-1,2,3,4-tetraazol-5-yl)(1H-indazol-3-yl))phenyl)-3-pyridylcarboxamide;  
 or a pharmaceutically acceptable salt thereof.

116. (Previously presented) A compound of claim 20, wherein the  
 compound is:



3-(4-fluorophenyl)-5-imidazol-2-yl-1H-indazole, or a pharmaceutically acceptable salt thereof.

117. (Previously presented) A compound, wherein the compound is:  
3-phenyl-5-(phenylmethoxy)-1H-indazole;  
(3-(4-fluorophenyl)(1H-indazol-5-yl))(phenylsulfonyl)amine;  
3-(4-fluorophenyl)-1H-indazole-5-carboxylate;  
(3-(4-fluorophenyl)(1H-indazol-5-yl))-N-(phenylmethoxy)carboxamide;  
3-(4-fluorophenyl)-1H-indazole-5-carbohydroxamic acid;  
N-((tert-butoxy)carbonylamino) (3-(4-fluorophenyl) (1H-indazol-5-yl))carboxamide;  
N-amino(3-(4-fluorophenyl)(1 H-indazol-5-yl))carboxamide;  
methyl-3-benzo(B)thiophen-2-yl-1H-indazole-5-carboxylate;  
3-benzo(B)thiophen-2-yl-1H-indazole-5-carboxylic acid;  
or a pharmaceutically acceptable salt thereof.

118-119. (Canceled)